

Notice of Allowability	Application No.	Applicant(s)
	10/037,453	MEDFORD ET AL.
	Examiner	Art Unit
	Erick Rekstad	2621

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to the pre-appeal brief request filed July 26, 2006.
2. The allowed claim(s) is/are 1-22.
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None
 of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of
 Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

DETAILED ACTION

This is a Notice of Allowance for application no. 10/037,453 in response to the Pre-Appeal Brief Request filed on July 26, 2006.

Response to Arguments

Applicant's arguments, see Pre-Appeal Brief Request filed July 26, 2006, with respect to claims 1-22 have been fully considered and are persuasive. The rejection of claims 1-22 has been withdrawn.

EXAMINER'S AMENDMENT

The application has been amended as follows:

Claim 1 is amended on line 3 from "discrete cosine transform of a plurality of blocks of data;" to --discrete cosine transform of a plurality of blocks of data;-- in order to remove the typographical error of "p1urality".

Allowable Subject Matter

Claims 1-22 are allowed.

The following is an examiner's statement of reasons for allowance: The claims are allowable over the prior art of record since the cited references taken individually or in combination fail to particularly disclose a system and method of simultaneously providing multiple DCT-encoded signals which use a different number of bits for the DCT coefficients as claimed.

The closest prior art (US Patent 6,335,760 to Sato) discloses a similar system and method of providing DCT coefficients using different amounts of bits (Col 9 Line 48-Col 10 Line 29). However, Sato fails to particularly teach or suggest "wherein a single

compression engine provides the first and second DCT-encoded signals at substantially the same time" as claimed. This feature taken with the other requirements of the claims teach over the prior art of record.


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Erick Rekstad whose telephone number is 571-272-7338. The examiner can normally be reached on 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mehrdad Dastouri can be reached on 571-272-7418. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Erick Rekstad
Examiner
AU 2621
(571) 272-7338
erick.rekstad@uspto.gov


GIMS PHILIPPE
PRIMARY EXAMINER